STATE OF TENNESSEE

TRICOR

TENNESSEE REHABILITATIVE INITIATIVE IN CORRECTION
240 Great Circle Road, Suite 310
Nashville, Tennessee 37228-1734
Phone (615) 741-5705 - Fax (615) 741-2696
Toll Free (800) 95-TRICOR (958-7426)

RECEIVED
MAR 3 1 2010
DNH
ENVIRONMENTAL FIELD OFFICE
COLUMBIA

Phil Bredesen
Governor

Patricia Weiland
Chief Executive Officer

March 30, 2010

Columbia Environmental Assistance Center
Division of Air Pollution Control
1421 Hampshire Pike
Columbia, TN. 38401

RE: Annual Operating Report for permit # 454137P, emissions source # 41-0011

Dear Sir:

Enclosed you will find the Annual Report for 2009, plus the log for 2008 (supporting the 12 consecutive month previous to 2009) permit 41-0011 CONDITIONAL MAJOR, located at Turney Center Industrial Prison, Only Tennessee.

Condition #5: Maximum volatile organic compounds emitted from this facility shall not exceed 95 tons during all intervals of 12 consecutive months.

At no time in the passed months did the facility emitted more then 95 tons during all intervals of 12 consecutive months. (See monthly log)

Condition #6: Emissions of any hazardous air pollutant (HAPS) listed in Section 112 of the Federal Clean Air Act shall not exceed 9.2 tons during all intervals of 12 consecutive months. Emissions of any combination of HAP's shall not exceed 22.5 tons during all intervals of 12 consecutive months...

At no time in the passed 12 consecutive months did the facility emit more then 9.2 on single HAP's or a total of 22.5 total HAP's. (See monthly log)

Condition#24: Volatile organic compounds emitted from this source shall not exceed 40 tons during all intervals of 12 consecutive months Compliance with condition shall be indicated from the records required by Condition 15. (41-0011-07 (Surface Coating of Metal Furniture)

At no time in the passed 12 consecutive months did the facility emit more then 40 tons of Volatile Organic Compounds. (See monthly log)

Condition # 26: On and after the date on which the initial performance test required by Condition 25 is complete the permittee shall not exceed an emission rate from the metal furniture coating operation of 7.51 pounds of VOC per gallon of solids applied monthly volume-weight average.

The facility is no longer using liquid spray on paint to paint metal furniture... The only metal items that are painted with spray paint are fence, post and dumpsters.

45137P

The facility is in compliance with the permit.

If you have any questions or need more information, do not hesitate to call 615-308-1581 or e-mail me at John.Brown@tn.gov

Sincerely,

John M. Brown
TRICOR Maintenance Manager

Annual Usage and VOC/HAP Emission Log forSources 04, 07, 09 Year: 2009

Annual 2009	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	29	2.940	0.043	0.000	0.000	1.000	0.015	1.360	0.020	0.330	0.005	0.000	0.000	0.039
S/W HONEY OAK STAIN	170	2.780	0.236	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	392	1.700	0.333	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	196	6.900	0.676	0.000	0.000	1.360	0.133	0.890	0.087	0.510	0.050	0.340	0.033	0.304
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	20	4.980	0.050	1.900	0.019	1.580	0.016	1.580	0.000	1.900	0.002	0.000	0.000	0.036
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	91	7.170	0.326	6.090	0.277	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.277
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	210	1.530	0.161	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	1108		1.83		0.30		0.16		0.11		0.06		0.03	0.656

Rolling 12 Month VOC/HAP Emmission Log for Sources 04, 07 & 09 Year: 2008

Month/year 2008	Voc Emission (tons/month)	Voc Emissions per 12 consective months (tons)	Haps #1 (Methanol) Tons/ month	Haps #1 (Methanol) emissions per 12 consective months	Haps #2 (Ethylene) Tons/month	Haps #2 (Ethylene) emissions per 12 consective months	HAPs #3 (TOLUANE) TON/MO	HAPs #3 (TOLUANE) emissions per 12 consective months	HAPs #4 (XYLENE) Tons/month	HAPs #4 (XYLENE) emissions per 12 consective months	HAPs #5 (Methyl Ethl Ketone) Tons/month	HAPs #5 (Methl Ethyl Ketone) emissions per 12 consective months	Total HAP emissions (Tons/month)	Total HAP emissions per consecutive months (ton)*
Jan	0.056	9.746	0.009	0.039	0.005	0.038	0.007	5.387	0.002	5.152	0.000	1.005	0.023	11.632
Feb	0.224	9.870	0.089	0.009	0.008	0.046	0.010	5.397	0.092	5.233	0.000	0.995	0.199	11.820
Mar	0.061	9.900	0.021	0.089	0.003	0.047	0.003	5.400	0.003	5.237	0.002	0.997	0.032	11.842
Apr	1.143	10.953	0.336	0.021	0.353	0.399	0.046	5.436	0.025	5.202	0.013	1.000	0.773	12.534
May	0.811	11.654	0.194	0.336	0.206	0.575	0.034	5.470	0.019	5.161	0.008	0.997	0.461	12.910
Jun	0.215	11.719	0.000	0.194	0.036	0.610	0.031	5.501	0.017	5.078	0.006	0.984	0.090	12.882
Jul	1.164	12.763	0.243	0.000	0.319	0.905	0.035	5.495	0.019	5.057	0.008	0.982	0.624	13.416
Aug	0.603	13.286	0.073	0.243	0.100	0.965	0.034	5.519	0.019	5.055	0.009	0.981	0.234	13.600
Sep	0.522	8.488	0.095	0.073	0.144	1.107	0.023	3.822	0.013	3.348	0.004	0.644	0.278	9.918
Oct	0.986	6.264	0.492	0.095	0.418	1.521	0.009	2.791	0.008	2.306	0.007	0.441	0.933	8.452
Nov	0.436	4.201	0.088	0.492	0.104	1.624	0.017	2.009	0.013	1.629	0.005	0.316	0.227	7.069
Dec	2.720	1.471	0.809	0.088	0.816	1.622	0.010	0.269	0.008	0.236	0.002	0.058	1.645	5.305
TOTAL	8.941													

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JAN Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	8	2.940	0.012	0.000	0.000	1.000	0.004	1.360	0.005	0.330	0.001	0.000	0.000	0.011
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	56	1.700	0.048	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	7	6.900	0.024	0.000	0.000	1.360	0.005	0.890	0.003	0.510	0.002	0.340	0.001	0.011
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	15	1.530	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	91		0.10		0.00		0.01		0.01		0.01		0.00	0.03

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: FEB Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	8	2.940	0.012	0.000	0.000	1.000	0.004	1.360	0.005	0.330	0.001	0.000	0.000	0.011
S/W HONEY OAK STAIN	4	2.780	0.006	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	22	1.700	0.019	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	8	6.900	0.028	0.000	0.000	1.360	0.005	0.890	0.004	0.510	0.002	0.340	0.001	0.012
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	42		0.06		0.00		0.01		0.01		0.01		0.00	0.03

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: MAR Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	2	2.940	0.003	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.003
S/W HONEY OAK STAIN	3	2.780	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	7	1.700	0.006	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	21	6.900	0.072	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.004	0.033
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.001	0.003
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.002	0.000
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	15	1.530	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	48		0.10		0.00		0.02		0.01		0.01		0.01	0.04

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: APR Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	0	2.940	0.000	0.000	0.000	1.000	0.000	1.360	0.000	0.330	0.000	0.000	0.000	0.000
S/W HONEY OAK STAIN	1	2.780	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	8	1.700	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	20	6.900	0.069	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.003	0.031
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	38	7.170	0.136	6.090	0.116	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.116
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	15	1.530	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	82		0.22		0.12		0.01		0.01		0.01		0.00	0.15

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: MAY Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	2	2.940	0.003	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.003
S/W HONEY OAK STAIN	1	2.780	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	8	1.700	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	20	6.900	0.069	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.003	0.031
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	40	7.170	0.143	6.090	0.122	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.122
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	71		0.22		0.12		0.01		0.01		0.01		0.00	0.16

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JUN Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	0	2.940	0.000	0.000	0.000	1.000	0.000	1.360	0.000	0.330	0.000	0.000	0.000	0.000
S/W HONEY OAK STAIN	2	2.780	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	106	1.700	0.090	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	33	6.900	0.114	0.000	0.000	1.360	0.022	0.890	0.015	0.510	0.008	0.340	0.006	0.051
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	4	7.170	0.014	6.090	0.012	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.012
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	50	1.530	0.038	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	195		0.26		0.01		0.02		0.01		0.01		0.01	0.07

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JUL Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	2	2.940	0.003	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.003
S/W HONEY OAK STAIN	2	2.780	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	23	1.700	0.020	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	21	6.900	0.072	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.004	0.033
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	5	1.530	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	53		0.10		0.00		0.02		0.01		0.01		0.00	0.04

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: AUG Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	4	2.940	0.006	0.000	0.000	1.000	0.002	1.360	0.003	0.330	0.001	0.000	0.000	0.005
S/W HONEY OAK STAIN	106	2.780	0.147	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	31	1.700	0.026	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	21	6.900	0.072	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.004	0.033
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	162		0.25		0.00		0.02		0.01		0.01		0.00	0.04

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: SEP Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	1	2.940	0.001	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.001
S/W HONEY OAK STAIN	1	2.780	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	49	1.700	0.042	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	25	6.900	0.086	0.000	0.000	1.360	0.017	0.890	0.011	0.510	0.006	0.340	0.004	0.039
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	3	7.170	0.011	6.090	0.009	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.009
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	55	1.530	0.042	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	134		0.18		0.01		0.02		0.01		0.01		0.00	0.05

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: OCT Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	1	2.940	0.001	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.001
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	62	1.700	0.053	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	0	6.900	0.000	0.000	0.000	1.360	0.000	0.890	0.000	0.510	0.000	0.340	0.000	0.000
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	20	4.980	0.050	1.900	0.019	1.580	0.016	1.580	0.000	1.900	0.002	0.000	0.000	0.036
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	3	7.170	0.011	6.090	0.009	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.009
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	55	1.530	0.042	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	146		0.16		0.03		0.02		0.00		0.00		0.00	0.05

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: NOV Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	1	2.940	0.001	0.000	0.000	1.000	0.001	1.360	0.001	0.330	0.000	0.000	0.000	0.001
S/W HONEY OAK STAIN	40	2.780	0.056	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	20	1.700	0.017	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	0	6.900	0.000	0.000	0.000	1.360	0.000	0.890	0.000	0.510	0.000	0.340	0.000	0.000
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	3	7.170	0.011	6.090	0.009	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.009
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	64		0.08		0.01		0.00		0.00		0.00		0.00	0.01

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: DEC Year: 2009

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	0	2.940	0.000	0.000	0.000	1.000	0.000	1.360	0.000	0.330	0.000	0.000	0.000	0.000
S/W HONEY OAK STAIN	0	2.780	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	0	1.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	20	6.900	0.069	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.003	0.031
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.000	0.000	0.000	0.000
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	20		0.07		0.00		0.01		0.01		0.01		0.00	0.03

TRICOR

TDEC Air Permit Report

FY2008 & 2009

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JAN Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	10	2.940	0.015	0.000	0.000	1	0.005	1.36	0.007	0.33	0.002	0.000	0.000	0.013
S/W HONEY OAK STAIN	10	2.780	0.014	0.000	0.000	0	0.000	0	0.000	0	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	15	1.700	0.013	0.000	0.000	0	0.000	0	0.000	0	0.000	0.000	0.000	0.000
LACQUER THINNER	0	6.900	0.000	0.000	0.000	1.36	0.000	0.89	0.000	0.51	0.000	0.340	0.000	0.000
BLACK	0	2.360	0.000	0.190	0.000	0	0.000	0	0.000	0.19	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.59	0.000	1.59	0.000	1.27	0.000	0.000	0.000	0.000
BURGANY	0	3.710	0.000	0.170	0.000	0.5	0.000	0.5	0.000	0.17	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.48	0.000	0.48	0.000	0.16	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.6	0.000	1.6	0.000	1.6	0.000	0.000	0.000	0.000
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.36	0.000	0.36	0.000	0.18	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.58	0.000	1.58	0.000	1.9	0.000	0.000	0.000	0.000
WARM GRAY	0	4.280	0.000	0.180	0.000	0.45	0.000	0.45	0.000	0.18	0.000	0.000	0.000	0.000
XYLOL	3	7.170	0.011	6.090	0.009	0	0.000	0	0.000	6.09	0.000	0.000	0.000	0.009
VMP	0	6.200	0.000	0.000	0.000	0	0.000	0	0.000	0	0.000	0.000	0.000	0.000
BENCO B-7	5	1.530	0.004	0.000	0.000	0	0.000	0	0.000	0	0.000	0.000	0.000	0.000
TOTAL	43		0.056		0.009		0.005		0.01		0.002		0.000	0.023

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: FEB Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	15	2.940	0.022	0.000	0.000	1.000	0.008	1.360	0.010	0.330	0.002	0.000	0.000	0.020
S/W HONEY OAK STAIN	10	2.780	0.014	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	25	1.700	0.021	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	0	6.900	0.000	0.000	0.000	1.360	0.000	0.890	0.000	0.510	0.000	0.340	0.000	0.000
BLACK	43	2.360	0.051	0.190	0.004	0.000	0.000	0.000	0.000	0.190	0.000	0.004	0.000	0.004
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	28	7.170	0.100	6.090	0.085	0.000	0.000	0.000	0.000	6.090	0.085	0.000	0.000	0.171
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	20	1.530	0.015	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	141		0.224		0.089		0.008		0.010		0.092		0.00	0.199

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: MAR Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	5	2.940	0.007	0.000	0.000	1.000	0.003	1.360	0.003	0.330	0.001	0.000	0.000	0.007
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	25	1.700	0.021	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	0	6.900	0.000	0.000	0.000	1.360	0.000	0.890	0.000	0.510	0.000	0.340	0.000	0.000
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.001	0.003
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.000	0.000	0.000	0.000
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	7	7.170	0.025	6.090	0.021	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.021
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	42		0.061		0.021		0.003		0.003		0.003		0.002	0.032

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: APR Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	12	2.780	0.017	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	15	1.700	0.013	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	71	6.900	0.245	0.000	0.000	1.360	0.048	0.890	0.032	0.510	0.018	0.340	0.012	0.110
BLACK	50	2.360	0.059	0.190	0.005	0.000	0.000	0.000	0.000	0.190	0.000	0.005	0.000	0.005
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	69	3.710	0.128	0.170	0.006	0.500	0.017	0.500	0.000	0.170	0.000	0.023	0.001	0.024
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	50	4.950	0.124	1.600	0.040	1.600	0.040	1.600	0.000	1.600	0.001	0.000	0.000	0.081
DEASERT SAND	4	4.190	0.008	0.180	0.000	0.360	0.001	0.360	0.000	0.180	0.000	0.001	0.000	0.001
FOREST GREEN	300	4.980	0.498	1.900	0.285	1.580	0.237	1.580	0.000	1.900	0.002	0.000	0.000	0.524
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	7	6.200	0.022	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	598		1.143		0.336		0.353		0.046		0.025		0.013	0.773

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: MAY Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	3	2.780	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	45	1.700	0.038	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	45	6.900	0.155	0.000	0.000	1.360	0.031	0.890	0.020	0.510	0.011	0.340	0.008	0.070
BLACK	4	2.360	0.005	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	150	4.950	0.371	1.600	0.120	1.600	0.120	1.600	0.000	1.600	0.001	0.000	0.000	0.242
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	50	4.980	0.125	1.900	0.048	1.580	0.040	1.580	0.000	1.900	0.002	0.000	0.000	0.089
WARM GRAY	25	4.280	0.054	0.180	0.002	0.450	0.006	0.450	0.000	0.180	0.000	0.008	0.000	0.008
XYLOL	8	7.170	0.029	6.090	0.024	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.024
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	2	1.530	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	352		0.811		0.194		0.206		0.034		0.019		0.008	0.461

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JUN Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	50	1.700	0.043	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	38	6.900	0.131	0.000	0.000	1.360	0.026	0.890	0.017	0.510	0.010	0.340	0.006	0.059
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	6	1.530	0.005	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	119		0.215		0.000		0.036		0.031		0.017		0.006	0.090

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: JUL Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	15	2.780	0.021	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	45	1.700	0.038	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	46	6.900	0.159	0.000	0.000	1.360	0.031	0.890	0.020	0.510	0.012	0.340	0.008	0.071
BLACK	50	2.360	0.059	0.190	0.005	0.000	0.000	0.000	0.000	0.190	0.000	0.005	0.000	0.005
BRONZE	300	4.870	0.731	1.270	0.191	1.590	0.239	1.590	0.001	1.270	0.001	0.000	0.000	0.431
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	50	4.980	0.125	1.900	0.048	1.580	0.040	1.580	0.000	1.900	0.002	0.000	0.000	0.089
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	1	6.200	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	527		1.164		0.243		0.319		0.035		0.019		0.008	0.624

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: AUG Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	55	1.700	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	45	6.900	0.155	0.000	0.000	1.360	0.031	0.890	0.020	0.510	0.011	0.340	0.008	0.070
BLACK	150	2.360	0.177	0.190	0.014	0.000	0.000	0.000	0.000	0.190	0.000	0.014	0.001	0.015
BRONZE	50	4.870	0.122	1.270	0.032	1.590	0.040	1.590	0.000	1.270	0.001	0.000	0.000	0.073
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	25	4.980	0.062	1.900	0.024	1.580	0.020	1.580	0.000	1.900	0.002	0.000	0.000	0.045
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	1	7.170	0.004	6.090	0.003	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.003
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	0	1.530	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	351		0.603		0.073		0.100		0.034		0.019		0.009	0.234

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: SEP Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	20	2.940	0.029	0.000	0.000	1.000	0.010	1.360	0.014	0.330	0.003	0.000	0.000	0.027
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	55	1.700	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	21	6.900	0.072	0.000	0.000	1.360	0.014	0.890	0.009	0.510	0.005	0.340	0.004	0.033
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	150	4.870	0.365	1.270	0.095	1.590	0.119	1.590	0.000	1.270	0.001	0.000	0.000	0.216
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	0	4.950	0.000	1.600	0.000	1.600	0.000	1.600	0.000	1.600	0.001	0.000	0.000	0.001
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	2	1.530	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	253		0.522		0.095		0.144		0.023		0.013		0.004	0.278

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: OCT Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	5	2.940	0.007	0.000	0.000	1.000	0.003	1.360	0.003	0.330	0.001	0.000	0.000	0.007
S/W HONEY OAK STAIN	4	2.780	0.006	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	55	1.700	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	12	6.900	0.041	0.000	0.000	1.360	0.008	0.890	0.005	0.510	0.003	0.340	0.002	0.019
BLACK	300	2.360	0.354	0.190	0.029	0.000	0.000	0.000	0.000	0.190	0.000	0.029	0.004	0.033
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	45	4.340	0.098	0.160	0.004	0.480	0.011	0.480	0.000	0.160	0.000	0.014	0.000	0.015
DUMSTER BROWN	100	4.950	0.248	1.600	0.080	1.600	0.080	1.600	0.000	1.600	0.001	0.000	0.000	0.161
DEASERT SAND	0	4.190	0.000	0.180	0.000	0.360	0.000	0.360	0.000	0.180	0.000	0.000	0.000	0.000
FOREST GREEN	400	4.980	0.100	1.900	0.380	1.580	0.316	1.580	0.000	1.900	0.002	0.000	0.000	0.698
WARM GRAY	1	4.280	0.002	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	20	6.200	0.062	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	29	1.530	0.022	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	971		0.986		0.492		0.418		0.009		0.008		0.007	0.933

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: NOV Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	4	2.940	0.006	0.000	0.000	1.000	0.002	1.360	0.003	0.330	0.001	0.000	0.000	0.005
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	55	1.700	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	32	6.900	0.110	0.000	0.000	1.360	0.022	0.890	0.014	0.510	0.008	0.340	0.005	0.050
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	50	4.950	0.124	1.600	0.040	1.600	0.040	1.600	0.000	1.600	0.001	0.000	0.000	0.081
DEASERT SAND	5	4.190	0.010	0.180	0.000	0.360	0.001	0.360	0.000	0.180	0.000	0.001	0.000	0.001
FOREST GREEN	50	4.980	0.125	1.900	0.048	1.580	0.040	1.580	0.000	1.900	0.002	0.000	0.000	0.089
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	0	7.170	0.000	6.090	0.000	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.000
VMP	0	6.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	10	1.530	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	211		0.436		0.088		0.104		0.017		0.013		0.005	0.227

Monthly Usage and VOC/HAP Emission Log forSources 04, 07, 09 Month: DEC Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	5	2.940	0.007	0.000	0.000	1.000	0.003	1.360	0.003	0.330	0.001	0.000	0.000	0.007
S/W HONEY OAK STAIN	5	2.780	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	55	1.700	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	11	6.900	0.038	0.000	0.000	1.360	0.007	0.890	0.005	0.510	0.003	0.340	0.002	0.017
BLACK	0	2.360	0.000	0.190	0.000	0.000	0.000	0.000	0.000	0.190	0.000	0.000	0.000	0.000
BRONZE	0	4.870	0.000	1.270	0.000	1.590	0.000	1.590	0.000	1.270	0.001	0.000	0.000	0.001
BURGANY	0	3.710	0.000	0.170	0.000	0.500	0.000	0.500	0.000	0.170	0.000	0.000	0.000	0.000
CHARCOAL	0	4.340	0.000	0.160	0.000	0.480	0.000	0.480	0.000	0.160	0.000	0.000	0.000	0.000
DUMSTER BROWN	1000	4.950	2.475	1.600	0.800	1.600	0.800	1.600	0.002	1.600	0.001	0.000	0.000	1.603
DEASERT SAND	35	4.190	0.073	0.180	0.003	0.360	0.006	0.360	0.000	0.180	0.000	0.009	0.000	0.010
FOREST GREEN	0	4.980	0.000	1.900	0.000	1.580	0.000	1.580	0.000	1.900	0.002	0.000	0.000	0.002
WARM GRAY	0	4.280	0.000	0.180	0.000	0.450	0.000	0.450	0.000	0.180	0.000	0.000	0.000	0.000
XYLOL	2	7.170	0.007	6.090	0.006	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.006
VMP	15	6.200	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	25	1.530	0.019	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL	1153		2.720		0.809		0.816		0.010		0.008		0.002	1.645

Annual Usage and VOC/HAP Emission Log forSources 04, 07, 09 Year: 2008

Process Material	USAGE (GAL/MO)	VOC CONTENT (LB/GAL)	VOC EMITTED (TON/MO)	METHANOL POUNDS PER GAL HAP 1	METHANOL TON/MO HAPS 1	ETHYLENE GLYCOL POUNDS PER GAL HAPS 2	ETHYLENE GLYCOL TON/MO HAPS 2	TOLUANE POUNDS PER GAL HAPS 3	TOLUANE TON/MO HAPS 3	XYLENE POUNDS PER GAL HAPS 4	XYLENE TON/MO HAPS 4	METHYL ETHYL KETONE POUNDS PER GAL HAPS 5	METHYL ETHYL KETONE POUNDS TON/MO HAPS 5	TOTAL HAPS Emitted (TONS/mo)
S/W MAHOGHONY STAIN	164	2.940	0.241	0.000	0.000	1.000	0.082	1.360	0.112	0.330	0.027	0.000	0.000	0.221
S/W HONEY OAK STAIN	84	2.780	0.117	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
S/W CLEARN COAT LACQUER	495	1.700	0.421	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LACQUER THINNER	321	6.900	1.107	0.000	0.000	1.360	0.218	0.890	0.143	0.510	0.082	0.340	0.055	0.498
BLACK	597	2.360	0.704	0.190	0.057	0.000	0.000	0.000	0.000	0.190	0.000	0.057	0.017	0.074
BRONZE	500	4.870	1.218	1.270	0.318	1.590	0.398	1.590	0.001	1.270	0.001	0.000	0.000	0.717
BURGANY	69	3.710	0.128	0.170	0.006	0.500	0.017	0.500	0.000	0.170	0.000	0.023	0.001	0.024
CHARCOAL	45	4.340	0.098	0.160	0.004	0.480	0.011	0.480	0.000	0.160	0.000	0.014	0.000	0.015
DUMSTER BROWN	1350	4.950	3.341	1.600	1.080	1.600	1.080	1.600	0.003	1.600	0.001	0.000	0.000	2.164
DEASERT SAND	44	4.190	0.092	0.180	0.004	0.360	0.008	0.360	0.000	0.180	0.000	0.012	0.000	0.012
FOREST GREEN	875	4.980	2.179	1.900	0.831	1.580	0.691	1.580	0.002	1.900	0.002	0.000	0.000	1.526
WARM GRAY	26	4.280	0.056	0.180	0.002	0.450	0.006	0.450	0.000	0.180	0.000	0.008	0.000	0.008
XYLOL	49	7.170	0.176	6.090	0.149	0.000	0.000	0.000	0.000	6.090	0.000	0.000	0.000	0.149
VMP	43	6.200	0.133	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
BENCO B-7	99	1.53	0.08	0	0.00	0	0.00	0	0.00	0	0.00	0.00	0.000	0.000
TOTAL	4761			2.45		2.51		0.26		0.11		0.073	0.070	5.407