STATE OF TENNESSEE
TRICOR
TENNESSEE REHABILITATIVE INITIATIVE IN CORRECTION
240 Great Circle Road, Suite 310
Nashville, Tennessee 37228-1734
Phone (615) 741-5705 - Fax (615) 741-2696
Toll Free (800) 95-TRICOR (958-7426)

Bill Haslam
Governor

Patricia Weiland
Chief Executive Officer

RECEIVED
MAR 30 2012
COLUMBIA FIELD OFFICE
DIV. OF AIR POLLUTION CONTROL

March 30, 2012

Columbia Environmental Field Office
1421 Hampshire Pike
Columbia, Tennessee 38401

Re: Annual Compliance Report for TRICOR (located at the Turney Center Industrial Complex)
Emissions Source Reference Number 41-0011
Conditional Major Operating Permit Number 454137P

Dear Sir or Madam:

TRICOR respectfully submits the enclosed Annual Compliance Report for calendar year 2011 for emission sources permitted under Conditional Major Operating Permit Number 454137P. These emission sources are located at the Turney Center Industrial Complex in Only, Tennessee. Per Condition 11 of Permit Number 454137P, the following is a statement of the compliance status of the facility with Conditions 5, 6, 24, and 26 of the permit:

Condition 5: Maximum volatile organic compounds (VOC) emitted from this facility shall not exceed 95 tons during any intervals of 12 consecutive months from permitted and exempt-from-permitting sources. VOC emissions from exempt-from-permitting sources at this facility, including aerosol can spraying, welding, machinery lubrication and similar operations are estimated to be less than five (5) tons per year under maximum operating conditions. This value, five (5) tons, shall be added to the total overall facility actual VOC emissions for each 12 consecutive month period.

During the reporting period of January 1, 2011, through December 31, 2011, the maximum VOC emissions from the facility did not exceed 95 tons during any period of 12 consecutive months, as demonstrated in the attached log.

Condition 6: Emissions of any hazardous air pollutant (HAP) listed in Section 112 of the Federal Clean Air Act shall not exceed 9.2 tons during all intervals of 12 consecutive months. Emissions of any combination of HAPs shall not exceed 22.5 tons during all intervals of 12 consecutive months. HAP emissions from exempt-from-permitting sources at this facility, including aerosol can spraying, welding, machinery lubrication and similar operations are estimated to be less than one (1) ton per year under maximum operating conditions. This value, one (1) ton, shall be added to the total overall facility actual HAP emissions for each 12 consecutive month period.

During the reporting period of January 1, 2011, through December 31, 2011, the maximum emissions of any individual HAP or combination of HAPs did not exceed 9.2 tons or 22.5 tons per 12

TRICOR

Monthly VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

Month	VOC Emitted (tons)	Dichloromethane Emitted (tons)	Methanol Emitted (tons)	Sodium Xylene Sulfonate Emitted (tons)	Toluene Emitted (tons)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone Emitted (tons)	Xylene Emitted (tons)	Total HAP Emitted (tons)
January 2011	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
February 2011	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
March 2011	0.02	0.00	0.00	0.00	0.00	0.06	0.00	0.19	0.25
April 2011	0.03	0.00	0.00	0.00	0.00	0.06	0.00	0.19	0.25
May 2011	0.04	0.00	0.00	0.01	0.00	0.07	0.00	0.23	0.31
June 2011	0.04	0.07	0.02	0.01	0.00	0.00	0.00	0.00	0.10
July 2011	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
August 2011	0.13	0.14	0.04	0.02	0.00	0.24	0.00	0.81	1.25
September 2011	0.06	0.05	0.02	0.00	0.00	0.11	0.00	0.39	0.57
October 2011	0.03	0.00	0.00	0.01	0.00	0.08	0.00	0.27	0.36
November 2011	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01
December 2011	0.10	0.00	0.00	0.00	0.00	0.32	0.00	1.09	1.40
	0.46	0.26	0.08	0.08	0.00	0.92	0.00	3.18	4.518

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: January 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	10.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.005
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.10	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	1.75	8.51	8.51	0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	0.00	7.25	7.25	0.00		0.00		0.00		0.00		0.00	22.5	0.00		0.00	77.5	0.00	0.000
	12.35			0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.000	0.005

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: February 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	10.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.005
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.75	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.00	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	2.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	0.00	7.25	7.25	0.00		0.00		0.00		0.00		0.00	22.5	0.00		0.00	77.5	0.00	0.000
	12.75			0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.005

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: March 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	4.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	10.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.005
Fremont 477 pH Adjust (F-66)	5.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.12	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.00	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.00	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	5.00	7.25	7.25	0.02		0.00		0.00		0.00		0.00	22.5	0.06		0.00	77.5	0.19	0.250
	24.12			0.02		0.00		0.00		0.00		0.00		0.06		0.00		0.19	0.255

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: April 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	10.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.005
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.12	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	2.50	8.51	8.51	0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	1.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	5.00	7.25	7.25	0.02		0.00		0.00		0.00		0.00	22.5	0.06		0.00	77.5	0.19	0.250
	19.12			0.03		0.00		0.00		0.00		0.00		0.06		0.00		0.19	0.255

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: May 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	24.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	25.00	9.38	0.00	0.00		0.00		0.00	0.94	0.01		0.00		0.00		0.00		0.00	0.012
Fremont 477 pH Adjust (F-66)	5.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.06	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-125)	2.50	8.51	8.51	0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.50	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	6.00	7.25	7.25	0.02		0.00		0.00		0.00		0.00	22.5	0.07		0.00	77.5	0.23	0.300
	63.56			0.04		0.00		0.00		0.01		0.00		0.07		0.00		0.23	0.312

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: June 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	20.00	10.01	2.26	0.02	7.01	0.07	2.00	0.02		0.00		0.00		0.00		0.00		0.00	0.090
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	15.00	9.38	0.00	0.00		0.00		0.00	0.94	0.01		0.00		0.00		0.00		0.00	0.007
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	2.50	8.51	8.51	0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	0.00	7.25	7.25	0.00		0.00		0.00		0.00		0.00	22.5	0.00		0.00	77.5	0.00	0.000
	38.00			0.04		0.07		0.02		0.01		0.00		0.00		0.00		0.00	0.097

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: July 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	0.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.000
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	1.75	8.51	8.51	0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	0.00	7.25	7.25	0.00		0.00		0.00		0.00		0.00	22.5	0.00		0.00	77.5	0.00	0.000
	2.25			0.01		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: August 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #87 (B-25)	40.00	10.01	2.26	0.05	7.01	0.14	2.00	0.04		0.00		0.00		0.00		0.00		0.00	0.180
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	40.00	9.38	0.00	0.00		0.00		0.00	0.94	0.02		0.00		0.00		0.00		0.00	0.019
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.12	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	1.00	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	1.00	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.25	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	21.00	7.25	7.25	0.08		0.00		0.00		0.00		0.00	22.5	0.24		0.00	77.5	0.81	1.050
	103.37			0.13		0.14		0.04		0.02		0.00		0.24		0.00		0.81	1.249

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: September 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	15.00	10.01	2.26	0.02	7.01	0.05	2.00	0.02		0.00		0.00		0.00		0.00		0.00	0.068
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	10.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.005
Fremont 477 pH Adjust (F-66)	0.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.25	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.50	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	1.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	10.00	7.25	7.25	0.04		0.00		0.00		0.00		0.00	22.5	0.11		0.00	77.5	0.39	0.500
	36.75			0.06		0.05		0.02		0.00		0.00		0.11		0.00		0.39	0.572

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: October 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #B7 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	20.00	9.38	0.00	0.00		0.00		0.00	0.94	0.01		0.00		0.00		0.00		0.00	0.009
Fremont 477 pH Adjust (F-66)	5.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.00	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.25	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	1.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	7.00	7.25	7.25	0.03		0.00		0.00		0.00		0.00	22.5	0.08		0.00	77.5	0.27	0.350
	33.25			0.03		0.00		0.00		0.01		0.00		0.08		0.00		0.27	0.359

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: November 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #87 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.00	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	20.00	9.38	0.00	0.00		0.00		0.00	0.94	0.01		0.00		0.00		0.00		0.00	0.009
Fremont 477 pH Adjust (F-66)	5.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.00	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.00	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.00	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	0.00	7.25	7.25	0.00		0.00		0.00		0.00		0.00	22.5	0.00		0.00	77.5	0.00	0.000
	25.00			0.00		0.00		0.00		0.01		0.00		0.00		0.00		0.00	0.009

TRICOR

Monthly Usage and VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09
To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

MONTH: December 2011

Material Name	Monthly Usage (gallons)	Material Density (lb/gal)	VOC Content (lb/gal)	VOC Emitted (tons)	Dichloromethane (75-09-2) (lb/gal)	Dichloromethane Emitted (tons)	Methanol (67-56-1) (lb/gal)	Methanol Emitted (tons)	Sodium Xylene Sulfonate (1300-72-7) (lb/gal)	Sodium Xylene Sulfonate Emitted (tons)	Toluene (108-88-3) (lb/gal)	Toluene Emitted (tons)	Ethylbenzene (100-41-4) (lb/gal)	Ethylbenzene Emitted (tons)	Methyl Ethyl Ketone (78-93-3) (lb/gal)	Methyl Ethyl Ketone Emitted (tons)	Xylene (1330-20-7) (lb/gal)	Xylene Emitted (tons)	Total HAP Emitted (tons)
Benco #87 (B-25)	0.00	10.01	2.26	0.00	7.01	0.00	2.00	0.00		0.00		0.00		0.00		0.00		0.00	0.000
DAP 100% Silicone Rubber Sealant (D-12)	0.00	8.67	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Caulk Fire Barrier (F-15)	0.14	11.26	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Fremont 417 Cleaner - Phos (F-64)	0.00	9.38	0.00	0.00		0.00		0.00	0.94	0.00		0.00		0.00		0.00		0.00	0.000
Fremont 477 pH Adjust (F-66)	25.00	9.13	0.00	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
SW Powder Touchup Black (O-18.5)	0.00	7.33	5.72	0.00		0.00		0.00		0.00	0.95	0.00	0.01	0.00	0.73	0.00		0.00	0.000
SW Powder Touchup Sand (O-18.6)	0.00	7.89	5.04	0.00		0.00		0.00		0.00	0.63	0.00	0.05	0.00	0.71	0.00	0.24	0.00	0.000
SW Powder Touchup Warm Gray (O-18.7)	0.00	8.01	4.99	0.00		0.00		0.00		0.00	0.64	0.00	0.04	0.00	0.64	0.00	0.24	0.00	0.000
Correctpac Sparkle Plus Glass Celaner (P-70)	0.50	8.29	8.29	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Correctpac HD Cleaner (P-126)	0.25	8.51	8.51	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Scotchman Sawing Coolant (S-30)	0.75	8.26	0.54	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Sherwood Kem-Aqua (S-133)	0.00	10.88	1.38	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Loctite 495 Super Bonder Adhesive (S-158)	0.00	8.76	8.24	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	0.000
Xylene (X-1.2)	28.00	7.25	7.25	0.10		0.00		0.00		0.00		0.00	22.5	0.32		0.00	77.5	1.09	1.400
	54.64			0.10		0.00		0.00		0.00		0.00		0.32		0.00		1.09	1.400

TRICOR

VOC/HAP Emission Log for Sources 41-0011-04, 07, and 09 - Tons per 12 Consecutive Months

To demonstrate compliance with Condition 15 of Conditional Major Operating Permit Number 4514137P

Month/Year	VOC Emitted (tons/month)	VOC Emitted (tons/12 consecutive months)	Dichloromethane Emitted (tons/month)	Dichloromethane Emitted (tons/12 consecutive months)	Methanol Emitted (tons/month)	Methanol Emitted (tons/12 consecutive months)	Sodium Xylene Sulfonate Emitted (tons/month)	Sodium Xylene Sulfonate Emitted (tons/12 consecutive months)	Toluene Emitted (tons/month)	Toluene Emitted (tons/12 consecutive months)	Ethylbenzene Emitted (tons/month)	Ethylbenzene Emitted (tons/12 consecutive months)	Ethylene Emitted (tons/month)	Ethylene Emitted (tons/12 consecutive months)	Methyl Ethyl Ketone Emitted (tons/month)	Ketone Emitted (tons/12 consecutive months)	Xylene Emitted (tons/month)	Xylene Emitted (tons/12 consecutive months)	Total HAP Emitted (tons/month)	Total HAP Emitted (tons/12 consecutive months)
January 2011	0.01	1.72	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.16	0.00	0.00	0.00	0.22	0.00	0.05	0.00	0.13	0.00	0.69
February 2011	0.00	1.61	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.15	0.00	0.00	0.00	0.21	0.00	0.05	0.00	0.12	0.00	0.65
March 2011	0.02	1.53	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.14	0.06	0.06	0.00	0.19	0.00	0.04	0.19	0.30	0.25	0.85
April 2011	0.03	1.40	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.13	0.06	0.11	0.00	0.16	0.00	0.04	0.19	0.48	0.25	1.06
May 2011	0.04	1.35	0.00	0.00	0.00	0.00	0.01	0.12	0.00	0.12	0.07	0.18	0.00	0.17	0.00	0.04	0.23	0.71	0.31	1.34
June 2011	0.04	1.24	0.07	0.07	0.02	0.02	0.01	0.12	0.00	0.11	0.00	0.18	0.00	0.16	0.00	0.04	0.00	0.70	0.10	1.39
July 2011	0.01	1.00	0.00	0.07	0.00	0.02	0.00	0.10	0.00	0.08	0.00	0.18	0.00	0.12	0.00	0.03	0.00	0.68	0.00	1.28
August 2011	0.13	0.97	0.14	0.21	0.04	0.06	0.02	0.11	0.00	0.07	0.24	0.42	0.00	0.10	0.00	0.02	0.81	1.48	1.25	2.47
September 2011	0.06	0.92	0.05	0.26	0.02	0.08	0.00	0.10	0.00	0.05	0.11	0.53	0.00	0.09	0.00	0.02	0.39	1.86	0.57	3.00
October 2011	0.03	0.69	0.00	0.26	0.00	0.08	0.01	0.09	0.00	0.03	0.08	0.61	0.00	0.05	0.00	0.01	0.27	2.12	0.36	3.25
November 2011	0.00	0.46	0.00	0.26	0.00	0.08	0.01	0.08	0.00	0.01	0.00	0.61	0.00	0.01	0.00	0.00	0.00	2.10	0.01	3.14
December 2011	0.10	0.46	0.00	0.26	0.00	0.08	0.00	0.08	0.00	0.00	0.32	0.92	0.00	0.00	0.00	0.00	1.09	3.16	1.40	4.52